AMENDMENTS TO THE CLAIMS

The following is a complete listing of revised claims with a status identifier in parentheses.

LISTING OF CLAIMS

1 (Currently amended) A method of automatic monitor display adjustments for automatically adjusting the monitor display when a first screen display signal is received after the monitor power is turned on, the method comprising the steps of:

receiving thea screen display signal;

determining that the screen display signal is not compatible with the monitor display range;

executing automatic monitor display adjustments; and automatically adjusting the monitor display range;

wherein the executing automatic monitor display adjustments, and the automatically adjusting the monitor display range includes recalling a notouch-auto-adjustment (NTAA) flag which includes:

simultaneously receiving a meau signal, an auto signal, and a power signal;

reading a default monitor display settingsscreen adjustment value;
receiving the menuMENU signal and providing a main menu;
receiving a recallRECALL signal;
adjusting the screen display according to the default monitor display settings; and

- changing the no-touch-auto-adjustment (NTAA)NTAA flag.
- 2 (Original) The method of claim 1 further providing a user operation interface for the user to adjust monitor display settings.
- 3 (Cancelled)
- 4 (Currently amended) The method of claim 13, wherein the step of adjusting the screen display according to the default monitor display settings includes adjusting an adjustment of a contrast value.
- (Currently amended) The method of claim 13, wherein adjusting the screen display according to the default monitor display settings includes adjusting the adjustment of a brightness value.
- 6 (Currently amended) The method of claim 13, wherein the step of adjusting the screen display according to the default monitor display settings includes a color to preset adjustment.
- 7 (Currently amended) The method of claim 13, wherein the step of adjusting the screen display according to the default monitor display settings includes adjusting the adjustment of monitor signals.

- 8 (Currently amended) The method of claim 13, wherein the step of adjusting the screen display according to the default monitor display settings includes language reset.
- 9 (Currently amended) The method of claim 13, wherein the step of adjusting the screen display according to the default monitor display settings includes adjusting the adjustment of an H-OSD (Horizontal On Screen Display) Position POSITION.
- 10 (Currently amended) The method of claim 13, wherein the step of adjusting the screen display according to the default monitor display settings includes adjusting the adjustment of a V-OSD (Vertical On Screen Display) Position POSITION.
- 11 (Currently amended) The method of claim 13, wherein the step of adjusting the screen display according to the default monitor display settings includes athe smoothingSMOOTHING adjustment.
- 12 (Currently amended) The method of claim 13, wherein the step of adjusting the screen display according to the default monitor display settings includes anthe invisible INVISIBLE adjustment.